



2U rack mount fiber cabinet for patching applications OR-FC02U-P

OVERVIEW

The 2U (3.50" high) fiber cabinet for patching applications is optimized for integration with the Mighty Mo 6 rack system (OR-MM6710, OR-MM6810 & Seismic Rack OR-MM6710S) with 10.5" channel depth. Each fiber cabinet accepts up to six adapter panels, six Momentum 1U cassettes or three Momentum 2U cassettes.

FEATURES

19" (483 mm) deep cabinet chassis
Large cable entry port in rear of cabinet
Fiber tray slides forward
Fiber tray slides rearward
Optimized hook/loop lances embedded in fiber tray
Comes with patented snap-in fiber management clips
Large patch cord exit ports at front of cabinet
Adapter panel face positioned to optimize patch cord management

BENEFITS

Provides more room for internal fiber management and is optimized for use with Mighty Mo 6 10.5" deep rack system

Unrestricted access for backbone cable entry, excellent for use with pre-terminated cables Provides superior access for termination of optical fibers, internal fiber routing and patch cord management

Unique feature that provides additional access to improve backbone cable management and internal fiber routing

Lances positioned for optimal internal fiber management

Clips ensure fiber bend radius compliance and snap into strategically positioned receptacles for a secure installation and optimum fiber protection

Provide maximum clearance/space for management of fiber patch cords in high density installations Positioning designed for best possible patch cord exit when installed in Mighty Mo 6 rack system

Dimension Info

Depth Metric: 485.77 mm Height Metric: 88.90 mm Width Metric: 482.60 mm Rack Units: 2 Height U S: 3.5"

General Info

Product Series: OptiMo FC Series Installation Destination: Rack Mount

Technical Info

Capacity: Standard density Equipment Type: Fiber Cabinets

BUY AMERICAN ACT COMPLIANCE

Country of Origin: UNITED STATES OF AMERICA Buy American Act Status: Buy American Act Compliant

Eco Information

RoHS Compliant: Yes

